A year in LibreOffice's RTF support

By Miklos Vajna

Senior Software Engineer at Collabora Productivity

2016-09-08

About Miklos

- From Hungary

  - More blurb: http://vmiklos.hu/

- Google Summer of Code 2010/2011

  - Rewrite of the Writer RTF import/export

- Writer developer since Feb 2012

- Contractor at Collabora since Sept 2013

Writer RTF
filter maintenance

New features #1

- Maintenance is mostly about bug-fixing, but…

- User-defined properties:

  - Both RTF import and export

New features #2

- Classification support: copy&paste

- Provide the info on export

- Parse and limit on import

Bugfixes #1

- tdf#92521 RTF export: handle section break right after a table

Original

Before

Second page

Before / bad

Before

Second page

After / good

Before

Second page

Bugfixes #2

- tdf#94043 RTF filter: implement column separator handling

AAA
Section 1, first column, this has a separator.   Section 1, second colu
BBB
Section 2, first column, this has no separator.   Section 2, second colu
CCC

Original

AAA
Section 1, first column, this has a separator.   Section 1, second co
BBB
Section 2, first column, this has no separator.   Section 2, second co
CCC

Before / bad

AAA
Section 1, first column, this has a separator.   Sect on 1, second c
BBB
Section 2, first column, this has no separator.   Section 2, second c
CCC

After / good

Bugfixes #3

- tdf#94377 RTF export: support comment formatting

Original

Before / bad

After / good

Bugfixes #4

- tdf#61511 RTF export: handle page background solid color fill

Original

Before / bad

After / good

Bugfixes #5

- tdf#59699 RTF import: handle INCLUDEPICTURE field

Before / bad

After / good

Bugfixes #6

- tdf#65642 RTF filter: import \pgnrestart and \pgnucltr + \pgnlcltr + \pgnucrm + \pgnlcrm + \pgndec

Before / bad

After / good

Bugfixes #7

- tdf#90097 RTF import: handle fRelFlipV property for line shapes

Original

Before / bad

After / good

Bugfixes #8

- tdf#91684 RTF import: fix scaling of group shape children

Original

Before / bad

Fixed scaling

Bugfixes #9

- tdf#91684 RTF import: handle fFlipH and fFlipV shape props

Original

Fixed
scaling

After / good

Bugfixes #10

- tdf#100507 RTF import: don't set default para style to the 0th character style

Original

Before / bad

After / good

Technical details

Show me the code!

- Code is mostly at:
  - sw/source/filter/{rtf,ww8/rtf*} – export
  - writerfilter/source/rtftok/ – import
- 69 commits:
  - 31 bugfixes
  - 38 new feature / refactor

Testing

- ## 37 new tests

- ## No single bugfix without a matching unit test in the last year!

- ## 0 regressions in the bugzilla:

  - ### RTF in the summary, keywords: regression

  - ### And no resolution

- ## Sample one-liner regression test:

```
CPPUNIT_ASSERT_EQUAL(static_cast<sal_Int32>(6618),
              getProperty<sal_Int32>(getParagraph(1), "ParaLeftMargin"));
```

Refactor

- std::lround()
- Consistent prefixes
- Cross-directory includes
- C++11 auto

```
for (std::vector<std::pair<Id, RTFValue::Pointer_t>>::const_iterator i =
        m_pSprms→begin();
    i != m_pSprms->end(); ++i)
```

vs

```
for (auto& rSprm : *m_pSprms)
```

Summary

- The LibreOffice Writer RTF filter keeps improving

  - New features from time to time

  - Regular bugfixes

  - 0 known regressions

- Thanks for listening! :-)

- Slides: http://vmiklos.hu/odp